

# SPA

## Public Spa Pool Daily Record Sheet



<b>Month / Year</b>	<b>Name of Pool:</b>	<b>Location – City</b>
---------------------	----------------------	------------------------

Operator's Initials	DATE	Daily Pre-Opening Tests					Total Alkalinity (2x / week)	Calcium Hardness (1x / wk)	Cyanuric Acid (1x / week)	TDS (Monthly)	<b>Free Cl / Br Readings / pH (every 1 to 2 hrs.)</b>							Number of Bathers - Total	Backwashed – Clean Filters	Recirculation Rate - GPM	Comments – Chemical Added / Amount Spa Problems Mechanical Breakdowns Bather Emergencies > (File Accident Report)
		Clarity	SPA Temp (<104°F.)	Free Chlorine / Bromine	Combined Cl	pH					Insert the Time the Test is Done (below)										
											Cl / pH	Cl / pH	Cl / pH	Cl / pH	Cl / pH	Cl / pH	Cl / pH				
	1																				
	2																				
	3																				
	4																				
	5																				
	6																				
	7																				
	8																				
	9																				
	10																				
	11																				
	12																				
	13																				
	14																				
	15																				
	16																				
	17																				
	18																				
	19																				
	20																				
	21																				
	22																				
	23																				
	24																				
	25																				
	26																				
	27																				
	28																				
	29																				
	30																				
	31																				

Comments: \_\_\_\_\_

34-717 (Rev. 01/10)

	<b>Min.</b>	<b>Ideal</b>	<b>Max.</b>
Free Chlorine	1.5 ppm	3.0 – 5.0 ppm	5.0 ppm
Combined Chlorine	0	0	0.5 ppm
Bromine	3.0 ppm	3.0-5.0 ppm	8.0 ppm
pH	7.2	7.3-7.5	7.6